

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/605,789	10/27/2003	Thomas L. Toth	GEMS8081.193	2788		
27061	7061 7590 04/22/2005		EXAMINER			
ZIOLKOWSKI PATENT SOLUTIONS GROUP, SC (GEMS)			KAO, CHIH CHENG G			
14135 NORTH CEDARBURG ROAD MEQUON, WI 53097			ART UNIT	PAPER NUMBER		
			2882			
				DATE MAILED: 04/22/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

				A)		
		Application No.	Applicant(s)			
		10/605,789	TOTH ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Chih-Cheng Glen Kao	2882			
Period fo	The MAILING DATE of this communication apported in Reply	pears on the cover sheet with the c	correspondence ad	dress		
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period of the provision of the pro	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely the mailing date of this co D (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on 13 A	<u>pril 2005</u> .				
2a)⊠	☐ This action is FINAL . 2b)☐ This action is non-final.					
3)□	,, , , , , , , , , , , , , , , , , , , ,					
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1.2.5-14 and 16-23 is/are pending in a 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1.2.5-14 and 16-23 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/o	wn from consideration.				
Applicat	ion Papers					
10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>27 October 2003</u> is/are. Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	: a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CF	FR 1.121(d).		
Priority ι	under 35 U.S.C. § 119					
a)l	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document: 2. Certified copies of the priority document: 3. Copies of the certified copies of the priority application from the International Bureausee the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National	Stage		
Attachmen	t(s)					
	e of References Cited (PTO-892)	4) Interview Summary				
3) 🔲 Inforr	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate atent Application (PTO	-152)		

Application/Control Number: 10/605,789 Page 2

Art Unit: 2882

DETAILED ACTION

Claim Objections

1. Claims 2 and 19-21 are objected to because of the following informalities, which appear to be minor draft errors including lack of antecedent basis problems.

In the following format (location of objection; suggestion for correction), the following corrections may obviate their respective objections: (claim 2, line 1, "(Currently Amended)"; replacing "Currently Amended" with - -Original- -), (claim 19, line 3, "the moveable second filters"; replacing "filters" with - -filter- -), (claim 20, lines 2-3, "the moveable first and second motor assemblies"; deleting "moveable"), and (claim 21, line 3, "moveable first and the second filters"; deleting "the").

For purposes of examination, the claims have been treated as such. Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 2, and 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Romeas (US Patent 6148062) in view of Moore (US Patent 4181858).

Application/Control Number: 10/605,789

Art Unit: 2882

3. Regarding claim 1, Romeas discloses an x-ray beam shaping filter assembly (fig. 5)

Page 3

comprising a first moveable filter having a non-uniform thickness (fig. 5, #17a), the first

moveable filter having a body (fig. 5, middle section of #17a) and a tail (fig. 5, right section of

#17a) extending from the body, the tail positioned at a distal end of the first moveable filter

relative to an x-ray source (fig. 5, source of #3), a second moveable filter independent of the first

moveable filter and having a non-uniform thickness (fig. 5, #18b), the second moveable filter

having a body (fig. 5, middle section of #18b) and a tail (fig. 5, left section of #18b) extending

from the body, the tail positioned at a distal end of the second moveable filter relative to an x-ray

source (fig. 5, source of #3); and wherein at least one of the first moveable filter and the second

moveable filter is configured to be placed in a high frequency electromagnetic energy beam (fig.

5, #3) for attenuation of the beam for radiographic data acquisition (title), and configured to

independently position a movable filter (fig. 5, #18b) such that a beam profile is created that

substantially conforms to a shape of a subject to be scanned (fig. 5, #1).

However, Romeas does not disclose at least one motor assembly.

Moore teaches at least one motor assembly (fig. 2a, #30).

It would have been obvious, to one having ordinary skill in the art at the time the

invention was made, to incorporate the apparatus of Romeas with the motor of Moore, since one

would be motivated to make such a modification to reduce manual labor for a user.

4. Regarding claim 2, Romeas further discloses the second moveable filter (fig. 5, #18b)

having a shape that mirrors that of the first moveable filter (fig. 5, #17a).

5. Regarding claims 7 and 8, Romeas as modified above suggests an apparatus as recited above.

However, Romeas does not disclose wherein the first and second moveable filters are each defined by a base, a tail, and a curved portion connecting the base to the tail, and wherein the base has a thickness greater than that of the tail.

Moore further teaches wherein the first and second moveable filters are each defined by a base (fig. 3a, right section of #26 on right), a tail (fig. 3a, left section of #26 on right), and a curved portion (fig. 3a, middle section of #26 on right) connecting the base to the tail, and wherein the base (fig. 3a, right section of #26 on right) has a thickness greater than that of the tail (fig. 3a, left section of #26 on right).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas as modified above with the filters of Moore, since one would be motivated to make such a modification to better compensate for variations in path length of examining radiation through the body of a patient (col. 1, lines 5-9) as shown by Moore.

6. Regarding claims 9 and 10, Romeas as modified above suggests an apparatus as recited above.

However, Romeas does not disclose wherein the base has a thickness of 30 mm and the tail has a thickness of 0.25 mm, or wherein the base of the first moveable filter has a length along an x-direction of 112 mm; wherein the curved portion of the first moveable filter has a length

along the x-direction of 24.9 mm; wherein the tail of the first moveable filter has a length along the x-direction of 135 mm; wherein the base of the second moveable filter has a length along the x-direction of 53 mm; wherein the tail of the second moveable filter has a length along the x-direction of 168 mm; and wherein the curved portion of the second moveable filter has a length along the x-direction of 34.2 mm.

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas as modified above with the above measurements, since such a modification would have only involved a mere change in the size of a component. A change in size is generally recognized as being with the level of ordinary skill in the art. One would be motivated to make such a modification to reduce unnecessary radiation to a patient (col. 5, line 66, to col. 6, line 3) as implied from Moore.

7. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Romeas in view of Moore as applied to claim 1 above, and further in view of Popescu (US Patent 6501828).

Romeas as modified above suggests an apparatus as recited above.

However, Romeas does not disclose dynamically positioning a moveable filter during data acquisition.

Popescu teaches dynamically positioning a moveable filter (fig. 2) during data acquisition (abstract).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas as modified above with the dynamic

moveable filter of Popescu, since one would be motivated to make such a modification to simplify the generation of high grade x-ray images (col. 2, lines 1-7) as shown by Popescu.

8. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Romeas in view of Moore, and Popescu as applied to claim 5 above, and further in view of Hsieh (US Patent 5970112).

Romeas as modified above suggests an apparatus as recited above.

However, Romeas does not disclose positioning based on a scout scan carried out before CT data acquisition.

Hsieh teaches positioning based on a scout scan carried out before CT data acquisition (abstract).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas as modified above with the positioning of Hsieh, since one would be motivated to make such a modification to make CT systems more efficient (col. 2, lines 15-16) as implied from Hsieh.

- 9. Claims 11, 14, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moore in view of Popescu and Hoffman et al. (US Patent 6137857).
- 10. Regarding claims 11 and 14, Moore discloses an apparatus as recited above. Moore further discloses the apparatus in a CT system (abstract, line 1) including a rotatable gantry having an opening (fig. 1a, #1) to receive a subject (fig. 1a, #3) to be scanned, a high frequency

electromagnetic energy projection source (fig. 1a, #14), a scintillation system to detect high frequency electromagnetic energy passing through the subject (col. 4, line 68), photodiodes optically coupled to the scintillation system to detect light from the scintillation system (col. 5, line 1), a data acquisition system (DAS) connected to the photodiodes and configured to receive photodiode outputs (fig. 1a, #19).

However, Moore does not specifically disclose non-uniform filters mirroring each other defined by a base, tail, and curved portion connecting the base to the tail, and wherein filters are arranged such that the curved portion of one filter faces the curved portion of the other filter, a scintillator array, a photodiode array, and an image reconstructor coupled to a DAS and configured to reconstruct an image of a subject from photodiode outputs received by the DAS.

Popescu teaches non-uniform filters mirroring each other (fig. 3) defined by a base, tail, and curved portion connecting the base to the tail, and wherein filters are arranged such that the curved portion of one filter (fig. 3, #22) faces the curved portion of the other filter (fig. 3, #23). Hoffman et al. teaches a scintillator array (col. 2, line 3), a photodiode array (col. 2, lines 2-3), and an image reconstructor (fig. 2, #34) coupled to a DAS (fig. 2, #34) and configured to reconstruct an image of a subject (fig. 2, #22) from photodiode outputs (fig. 2, #20) received by the DAS.

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the system of Moore with the filters of Popescu, since one would be motivated to make such a modification to simplify generation of a high-grade x-ray image of a region of interest (col. 2, lines 1-4) as implied from Popescu.

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the system of Moore with the arrays and image reconstructor of Hoffman et al., since one would be motivated to make such a modification to increase the amount of information obtained (col. 1, lines 35-36) and to provide a better image (fig. 2, #42) of the internals of a patient (fig. 2, #22) as implied from Hoffman et al.

Page 8

- 11. Regarding claim 16, Moore further discloses wherein the base blocks more x-rays than that of the tail (fig. 2a, #26 and 26').
- 12. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moore, in view of Popescu and Hoffman et al. as applied to claim 11 above, and further in view of Hsieh.

Moore as modified above suggests a system as recited above. Moore further discloses a filter (fig. 5, #26) operationally connected to at least one motor (fig. 5, #30) that is operationally connected to a controller (fig. 5, #36) such that control signals transmitted to the controller cause at least the one motor to position the at least one filter in the projection path to modulate the beam to have a desired profile (fig. 2a).

However, Moore does not disclose a computer programmed to cause application of a scout scan of a subject and from the scout scan determine at least an approximate shape of the subject, and wherein a filter is operationally connected to the computer to modulate the beam to have a desired profile.

Hsieh teaches a computer (fig. 2, #36) programmed to cause application of a scout scan of a subject and from the scout scan determine at least an approximate shape of the subject, and

Page 9

wherein a filter is operationally connected to the computer to modulate the beam to have a

desired profile (abstract).

It would have been obvious, to one having ordinary skill in the art at the time the

invention was made, to incorporate the system of Moore as modified above with the scout scan

and computer of Hsieh, since one would be motivated to make such a modification to make CT

systems more efficient (col. 2, lines 15-16) as implied from Hsieh.

13. Claims 17 and 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Schmidt (US Patent 5019713) in view of Moore.

14. Regarding claims 17, 19, and 20, Schmidt discloses an apparatus comprising moveable

first and second filters (col. 2, lines 32-33), a stationary third filter having a length (fig. 1, #15,

and abstract, line 3) perpendicular to a central axis of x-ray projection from an x-ray source (col.

2, line 25) toward a subject (title), the length being longer than at least one of the moveable first

and second filters (fig. 1, #12a and 12b) perpendicular to the central axis of x-ray projection (fig.

1, #4), and a motor assembly connected to first and second moveable filters (col. 2, lines 33-34).

However, Schmidt does not disclose two motor assemblies configured to independently

position overlapping filters, defined by bases, curved portions, and proximate tails, in an x-ray

path to define an attenuation profile that substantially approximates a target shape.

Moore teaches two motor assemblies (figs. 1a and 2a, #30) configured to independently position overlapping filters, defined by bases, curved portions, and proximate tails, in an x-ray path to define an attenuation profile that substantially approximates a target shape (fig. 2a).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Schmidt with the motors of Moore, since one would be motivated to make such a modification to provide more flexibility in shaping a profile (fig. 2a) as implied from Moore.

- 15. Regarding claim 21, Schmidt further discloses the stationary third filter providing non-zero minimum attenuation (col. 2, lines 45-50) when the moveable first and second filters are not overlapping (fig. 1, #12a, 12b, and 15).
- 16. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Schmidt in view of Moore as applied to claim 17 above, and further in view of Gunji et al. (JP 08-266523).

Schmidt as modified above suggests an apparatus as recited above.

However, Schmidt does not disclose filters with different contours.

Gunji et al. teaches filters with different contours (fig. 4, #23-1 and 23-2).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Schmidt as modified above with the filters of Gunji et al., since one would be motivated to make such a modification to make filters more suitable for an examinee (abstract, purpose) as implied from Gunji et al.

17. Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schmidt in view of Moore as applied to claim 17 above, and further in view of Winter (US Patent 4998268).

Schmidt as modified above suggests an apparatus as recited above.

However, Schmidt does not disclose a CT system including a computer programmed to determine a target shape from a scout scan of a subject to be imaged.

Winter teaches a CT system (title) including a computer programmed to determine a target shape from a scout scan of a subject to be imaged (col. 8, line 57, to col. 9, line 11).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Schmidt as modified above with the CT system of Winter, since one would be motivated to make such a modification to lessen risks to patients (col. 1, lines 61-64) as shown by Winter.

Response to Arguments

18. Applicant's arguments with respect to claims 1, 2, 5-14, and 16-23 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

Application/Control Number: 10/605,789

Art Unit: 2882

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Chih-Cheng Glen Kao whose telephone number is (571) 272-

2492. The examiner can normally be reached on M - F (9 am to 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ed Glick can be reached on (571) 272-2490. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

gk

SUPERVISORY PATENT EXAMINER

Page 12